

# ▶ Console lifts

## Feature, advantage, and benefit statement about product .


Console lifts are used when necessary lifting power of 15kN and lift shaft has only one free border – anothers occupied with doors or technological highways.

## CONTENT

|    |                                                            |         |
|----|------------------------------------------------------------|---------|
| 1. | Hydraulic console lifts 1.0—2.0 tons.....                  | 1 page  |
| 2. | HYDRAULIC CONSOLE LIFTS 1.0-2.0 TONS WITH LIP .....        | 2 PAGE  |
| 3. | TELESCOPE HYDRAULIC CONSOLE LIFT .....                     | 3 PAGE  |
| 4. | ELECTRO MECHANICAL ( RACK SYSTEM) CONSOLE LIFT .....       | 4 PAGE  |
| 5. | ELECTRO MECHANICAL ( SCREW- JACK SYSTEM) CONSOLE LIFT..... | 5 PAGE  |
| 6. | SCREW- JACK LIFT ( HIGH CAPACITY).....                     | 6 PAGE  |
| 7. | PALLET LIFT .....                                          | 7 PAGE  |
| 8. | INTALATION SCHEME.....                                     | 15 PAGE |

## DESCRIPTION

All lifts welded from steel S355.



## MODELS

- With swing lip
- With rotating platform
- Platform with geared rollgang
- Platform for pallet lifting
- With floating platform ( logimat)



ADVANCED LOADING ASSISTANT



CONSOLE LIFTS

Phone: +370 655 40001  
E-mail: info@hidrotiltai.lt  
Web: www.hidrotiltai.lt

Antakalnių 50, 55-asis pastas, p/d  
805, LT-10312, Vilnius,  
LITHUANIA.





# Console lifts

GALLERY

Hydrotiltai  
of  
LITHUANA

GALLERY



ADVANCED LOADING ASSISTANT



SCISSORS LIFTS

Phone: +370 655 40001  
E-mail: [info@hidrotiltai.lt](mailto:info@hidrotiltai.lt)  
Web: [www.hidrotiltai.lt](http://www.hidrotiltai.lt)

Antakalnio 50, 55-asis pastas, p/d  
805, LT-10312, Vilnius,  
LITHUANA.





# Console lifts

▶ Loading capacity 1.0-2.0 tons

Produced  
in  
LITHUANA

## AVAILABLE OPTIONS


- With swinging lip
- With rotating platform
- With tilting platform
- Platform with geared rollgang
- Optional color ( standard RAL 1003).
- You company logo.

CAPACITY 1.5T

## TECHNICAL SPECIFICATIONS


|                                      |                 |
|--------------------------------------|-----------------|
| Made by standard (lifting platforms) | LST 1570-02-+A2 |
| Capacity EN 1398 (kN)                | 15              |
| Working pressure (MPa)               | 25              |
| Working temperature °C               | -25 .... +40    |
| Oil                                  | NESTE 32        |
| Oil tank capacity (dm3)              | 4               |

## DESCRIPTION



Capacity—1.5 t  
Lifting height 1.2m


Platform:  
1.5m x1.4m



Rollaparat designed of engineers of our company. Lift work very softly and quietly.

Made from SKF roll bearings and very hard technic plastic—ertalon.

## SCHEMA



**ATTENTION:** .please keep load position as show in scheme

## WIDE RANGE OF APPLICATION

- STORAGE SYSTEMS .
- PRODUCTION PLANTS .
- PARKING SYSTEMS .

## ADVANCED LOADING ASSISTANT



SCISSORS LIFTS

Phone: +370 655 40001  
E-mail: info@hidrotiltai.lt  
Web: www.hidrotiltai.lt

Antakalnio 50 , 55-asis pastas , p/d  
805 , LT-10312 , Vilnius ,  
LITHUANA.



# Console lifts with lip

▶ Loading capacity 1.0-2.0 tons

Exhibitor  
of  
LITHUANA

## AVAILABLE OPTIONS


- With swinging lip
- With rotating platform
- With tilting platform
- Platform with geared rollgang
- Optional color ( standard **RAL 1003**).
- You company logo.

CAPACITY 1.5T


## TECHNICAL SPECIFICATIONS

|                                      |                 |
|--------------------------------------|-----------------|
| Made by standard (lifting platforms) | LST 1570-02-+A2 |
| Capacity EN 1398 (kN)                | 15              |
| Working pressure (MPa)               | 25              |
| Working temperature ©                | -25 .... +40    |
| Oil                                  | NESTE 32        |
| Oil tank capacity (dm3)              | 14              |

## DESCRIPTION



## SCHEMA



**ATTENTION:** .please keep load position as show in scheme



Capacity—1.5 t  
Lifting height 5.2m

Platform:  
1.5m x1.4m

Prepared to lift building materials.

ADVANCED LOADING ASSISTANT



SCISSORS LIFTS

Phone: +370 655 40001  
E-mail: [info@hidrotiltai.lt](mailto:info@hidrotiltai.lt)  
Web: [www.hidrotiltai.lt](http://www.hidrotiltai.lt)

Antakalnio 50 , 55-asis pastas , p/d  
805 , LT-10312 , Vilnius ,  
LITHUANA.



# Scissors lifts (vertical tandem)

▶ Loading capacity 1.0-2.0 tons

Lithuania  
or  
LITHUANA

## AVAILABLE OPTIONS


- With swinging lip
- With rotating platform
- With tilting platform
- Platform with geared rollgang
- Optional color ( standard RAL 1003).
- You company logo.

## TECHNICAL SPECIFICATIONS

|                                      |                 |
|--------------------------------------|-----------------|
| Made by standard (lifting platforms) | LST 1570-02-+A2 |
| Capacity EN 1398 (kN)                | 15              |
| Working pressure (MPa)               | 25              |
| Working temperature °C               | -25 .... +40    |
| Oil                                  | NESTE 32        |
| Oil tank capacity (dm <sup>3</sup> ) | 6               |

CAPACITY 1.5T

DESCRIPTION




Capacity—1.5 t  
Lifting height 3.2m

Platform:  
1.5m x 1.4m

ADVANCED LOADING ASSISTANT

SCHEMA



**ATTENTION:** .please  
keep load position as  
show in scheme



## ELECTRICAL SPECIFICATION

- Voltage (V) 24
- Amperage (A) 32
- Power (W) 750

I P 5 5



SCISSORS LIFTS

Phone: +370 655 40001  
E-mail: info@hidrotiltai.lt  
Web: www.hidrotiltai.lt

Antakalnio 50 , 55-asis pastas , p/d  
805 , LT-10312 , Vilnius ,  
LITHUANA.





# Console lifts ( electromechanical version)

Produced  
in  
LITHUANIA


## AVAILABLE OPTIONS

- With swinging lip
- With rotating platform
- With tilting platform
- Platform with geared rollgang
- Optional color ( standard RAL 1003).
- You company logo.


## TECHNICAL SPECIFICATIONS

|                                      |             |
|--------------------------------------|-------------|
| Made by standard (lifting platforms) | LST 1570-02 |
| -+A2                                 |             |
| Capacity EN 1398 (kN)                | 5           |

## DESCRIPTION



## SCHEMA



**ATTENTION:** .please  
keep load position as  
show in scheme



Capacity—0.5 t  
Lifting height 4.2m

Platform:  
1.5m x1.4m

## ADVANCED LOADING



SCISSOR LIFTS

Phone: +370 655 40001  
E-mail: [info@hidrotiltai.lt](mailto:info@hidrotiltai.lt)  
Web: [www.hidrotiltai.lt](http://www.hidrotiltai.lt)

Antakalnio 50 , 55-asis pastas , p/d  
805 , LT-10312 , Vilnius ,  
LITHUANIA.



## Scissors lifts (nuclear technology)

► Loading capacity 0.7 tons

Lithuania  
or  
LITHUANA


### AVAILABLE OPTIONS

- With swinging lip
- With rotating platform
- With tilting platform
- Platform with geared rollgang
- Optional color (standard RAL 1003).
- You company logo.

### TECHNICAL SPECIFICATIONS

|                                      |                 |
|--------------------------------------|-----------------|
| Made by standard (lifting platforms) | LST 1570-02-+A2 |
| Motor power (W)                      | 370             |
| Lifting capacity (kg)                | 700             |
| Lifting height (mm)                  | 1000            |

## DESCRIPTION



## SCHEMA



ADVANCED LOADING ASSISTANT



SCISSOR LIFTS

Phone: +370 655 40001  
E-mail: [info@hidrotiltai.lt](mailto:info@hidrotiltai.lt)  
Web: [www.hidrotiltai.lt](http://www.hidrotiltai.lt)

Antakalnio 50, 55-asis pastas, p/d  
805, LT-10312, Vilnius,  
LITHUANIA.



## Screw-jack lifts

► Loading capacity 10 tons

Exhibitor  
of  
LITHUANA

### AVAILABLE OPTIONS

- Optional color ( standard RAL 1003).
- Your company logo.

### TECHNICAL SPECIFICATIONS

Made by standard (lifting platforms) LST 1570-02-+A2

Motor power (W) 11000


Lifting capacity (kg) 10000

Lifting height (mm) 1600

### DESCRIPTION



### KINEMATIC SCHEME



### APPLICATIONS

Bus lifting

Train lifting

Truck lifting

ADVANCED LOADING ASSISTANT



SCISSOR LIFTS

Phone: +370 655 40001  
E-mail: [info@hidrotiltai.lt](mailto:info@hidrotiltai.lt)  
Web: [www.hidrotiltai.lt](http://www.hidrotiltai.lt)

Antakalnio 50 , 55-asis pastas , p/d  
805 , LT-10312 , Vilnius ,  
LITHUANIA.





# Console lifts (Europallet lifting)

Produced  
in  
LITHUANIA

## AVAILABLE OPTIONS

- With swinging lip
- With rotating platform
- With tilting platform
- Platform with geared rollgang
- Optional color ( standard RAL 1003).
- You company logo.

## TECHNICAL SPECIFICATIONS


|                                      |                 |
|--------------------------------------|-----------------|
| Made by standard (lifting platforms) | LST 1570-02-+A2 |
| Capacity EN 1398 (kN)                | 15              |
| Lifting height (m)                   | 1.6             |
| Lifting speed (m/s)                  | 0.15            |
| Electromechanical version            |                 |
| Power (W)                            | 1500            |



## DESCRIPTION



## SCHEMA



ADVANCED LOADING ASSISTANT



SCISSOR LIFTS

Phone: +370 655 40001  
E-mail: info@hidrotiltai.lt  
Web: www.hidrotiltai.lt

Modelis  
Gamintojo kodas  
EML 1 1.7x1.7 4.8  
HTD 155EL50  
LST EN 15  
420 kg  
2013.09.20  
Pagamintojo Lietuva


Antakalnio 50, 55-asis pastas, p/d  
805, LT-10312, Vilnius,  
LITHUANIA.



## Console lifts (preparing for installation)



### SCHEMA



ADVANCED LOADING ASSISTANT



SCISSOR LIFTS

Phone: +370 655 40001  
E-mail: info@hidrotiltai.lt  
Web: www.hidrotiltai.lt

Antakalnio 50, 55-asis pastas, p/d  
805, LT-10312, Vilnius,  
LITHUANIA.